

Type	Hits	Search Text	DBs	Time Stamp
IS&R	448	(702/57).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	4	((702/57).CCLS.) and "power" adj "monitor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	220	((702/57).CCLS.) and "power"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	178	((702/57).CCLS.) and "power" and "control"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	34	((702/57).CCLS.) and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	43	((702/60).CCLS.) and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	40	((702/60).CCLS.) and "ic" and "voltage"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	21	((702/60).CCLS.) and "ic" and "voltage" and "monitor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	20	((702/60).CCLS.) and "ic" and "voltage" and "monitor" and "control"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	241	((702/57 or 702/60 or 702/62 or 702/64 or 702/65).ccls) and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	202	((702/57 or 702/60 or 702/62 or 702/64 or 702/65).ccls) and "ic" and "voltage"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	242	((702/122 or 702/124 or 702/126 or 702/182 or 702/183 or 702/188 or 702/189).ccls) and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	568	((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1347	((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "integrated" adj "circuit"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1153	((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "integrated" adj "circuit" and "power"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	198	((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "integrated" adj "circuit" and "voltage" adj "power"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1017	((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "integrated" adj "circuit" and "power" and "voltage"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	422	((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "integrated" adj "circuit" and "power" and "voltage" and "monitor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	888	((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "integrated" adj "circuit" and "power" and "voltage" and "control"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	200	((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "integrated" adj "circuit" and "power" and "voltage" and "control" and "compare"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	391	((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "integrated" adj "circuit" and "power" and "voltage" and "control" and "monitor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	823	((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "integrated" adj "circuit" and "power" and "voltage" and "control" and "input"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	805	((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "integrated" adj "circuit" and "power" and "voltage" and "control" and "input" and "output"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	265	((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "integrated" adj "circuit" and "power" and "voltage" and "control" and "input" and "output" and "dc" and "ac" and "acdc"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	89	((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	347	((700/22 or 700/21 or 700/75 or 700/82 or 700/121 or 700/286 or 700/297).ccls) and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	679	((700/22 or 700/21 or 700/75 or 700/82 or 700/121 or 700/286 or 700/297).ccls) and "integrated" adj "circuit"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	10430	((307/2 or 307/6 or 307/15 or 307/18 or 307/17 or 307/117 or 307/118 or 307/119 or 307/120 or 307/121 or 307/122 or 307/126 or 307/127 or 307/128 or 307/131 or 307/132 or 307/133 or 307/134 or 307/135 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	638	((307/2 or 307/6 or 307/15 or 307/18 or 307/17 or 307/117 or 307/118 or 307/119 or 307/120 or 307/121 or 307/122 or 307/126 or 307/127 or 307/128 or 307/131 or 307/132 or 307/133 or 307/134 or 307/135 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls) and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1	((307/2 or 307/6 or 307/15 or 307/18 or 307/17 or 307/117 or 307/118 or 307/119 or 307/120 or 307/121 or 307/122 or 307/126 or 307/127 or 307/128 or 307/131 or 307/132 or 307/133 or 307/134 or 307/135 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls) and "ic" and "multiple" adj "power supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	3639	((307/2 or 307/6 or 307/15 or 307/18 or 307/17 or 307/117 or 307/118 or 307/119 or 307/120 or 307/121 or 307/122 or 307/126 or 307/127 or 307/128 or 307/131 or 307/132 or 307/133 or 307/134 or 307/135 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls) and "power" adj "supply" and "voltage"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1372	((307/2 or 307/6 or 307/15 or 307/18 or 307/17 or 307/117 or 307/118 or 307/119 or 307/120 or 307/121 or 307/122 or 307/126 or 307/127 or 307/128 or 307/131 or 307/132 or 307/133 or 307/134 or 307/135 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls) and "power" adj "supply" and "voltage" and "primary"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1292	((307/2 or 307/6 or 307/15 or 307/18 or 307/17 or 307/117 or 307/118 or 307/119 or 307/120 or 307/121 or 307/122 or 307/126 or 307/127 or 307/128 or 307/131 or 307/132 or 307/133 or 307/134 or 307/135 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls) and "power" adj "supply" and "voltage" and "primary" and "output" and "input"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1183	((307/2 or 307/6 or 307/15 or 307/18 or 307/17 or 307/117 or 307/118 or 307/119 or 307/120 or 307/121 or 307/122 or 307/126 or 307/127 or 307/128 or 307/131 or 307/132 or 307/133 or 307/134 or 307/135 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls) and "power" adj "supply" and "voltage" and "primary" and "output" and "input"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	0	((307/2 or 307/6 or 307/15 or 307/18 or 307/17 or 307/117 or 307/118 or 307/119 or 307/120 or 307/121 or 307/122 or 307/126 or 307/127 or 307/128 or 307/131 or 307/132 or 307/133 or 307/134 or 307/135 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls) and "power" adj "supply" and "voltage" and "primary" and "output" and "input" and "threshold"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	447	((307/2 or 307/6 or 307/15 or 307/18 or 307/17 or 307/117 or 307/118 or 307/119 or 307/120 or 307/121 or 307/122 or 307/126 or 307/127 or 307/128 or 307/131 or 307/132 or 307/133 or 307/134 or 307/135 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls) and "power" adj "supply" and "voltage" and "primary" and "output" and "input" and "threshold"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	13986	motherboard	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	3685	motherboard and "power" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1254	("motherboard" and "power" adj "supply") and "switching"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	860	((("motherboard" and "power" adj "supply") and "switching") and "controller"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	213	((307/2 or 307/6 or 307/15 or 307/18 or 307/17 or 307/117 or 307/118 or 307/119 or 307/120 or 307/121 or 307/122 or 307/126 or 307/127 or 307/128 or 307/131 or 307/132 or 307/133 or 307/134 or 307/135 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls) and "power" adj "supply" and "voltage" and "primary" and "output" and "input" and "threshold" and "delay"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	250	((("motherboard" and "power" adj "supply") and "switching") and "controller") and "regulator"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	24868	national.as	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	0	national.as. and "motherboard" adj "power supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	61	national.as. and "motherboard"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	3071	fairchild.as	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	716	intersil.as	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04

Type	Hits	Search Text	DBs	Time Stamp
BRS	3555	ti.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	93249	texas instruments.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	9968	(texas instruments.as.) and @pd<19999423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	56900	(texas instruments.as.) and @pd<19999423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	311	((texas instruments.as.) and @pd<19999423) and "motherboard"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	6283	(texas instruments.as.) and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	6093	((texas instruments.as.) and @pd<19999423) and "power" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	213	((texas instruments.as.) and @pd<19999423) and "power" adj "supply" and "pwm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
IS&R	594	(324/425).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	2236	(324/425 or 324/433 or 324/607 or 324/76.11).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	474896	analog devices.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	266491	(analog devices.as.) and @pd<19990401	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	13986	((analog devices.as.) and @pd<19990401) and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	90	((324/425 or 324/433 or 324/607 or 324/76.11).ccls.) and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	3982	((analog devices.as.) and @pd<19990401) and "ic" and "power" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	3615	((analog devices.as.) and @pd<19990401) and "ic" and "power" adj "supply" and "voltage"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	3685	motherboard and "power" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	947	("motherboard" and "power" adj "supply") and @pd<19990401	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	686	("motherboard" and "power" adj "supply") and @pd<19980401	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	5982	dac and "output" and "voltages"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	2399	("dac" and "output" and "voltages") and @pd<19980401	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	839	((("dac" and "output" and "voltages") and @pd<19980401) and "power" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	804	((("dac" and "output" and "voltages") and @pd<19980401) and "power" adj "supply" and "reference"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	339	((("dac" and "output" and "voltages") and @pd<19980401) and "power" adj "supply" and "reference" and "threshold"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	337	((("dac" and "output" and "voltages") and @pd<19980401) and "power" adj "supply" and "reference" and "threshold" and "input"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	337	((("dac" and "output" and "voltages") and @pd<19980401) and "power" adj "supply" and "reference" and "threshold" and "input" and "output"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	133181	dc and "power" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	12519	("dc" and "power" adj "supply") and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	10968	((("dc" and "power" adj "supply") and "ic") and "reference"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	3186	((("dc" and "power" adj "supply") and "ic") and "reference") and "voltage"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	3048	((("dc" and "power" adj "supply") and "ic") and "reference") and "voltage" and "input"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	2904	((("dc" and "power" adj "supply") and "ic") and "reference") and "voltage" and "input" and "control"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
IS&R	448	(702/60).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	2311	(702/57 or 702/60 or 702/62 or 702/64 or 702/65).ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	4721	(702/122 or 702/124 or 702/126 or 702/182 or 702/183 or 702/188 or 702/189).ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	242	((702/122 or 702/124 or 702/126 or 702/182 or 702/183 or 702/188 or 702/189).ccls) and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	3	((((702/122 or 702/124 or 702/126 or 702/182 or 702/183 or 702/188 or 702/189).ccls) and "ic") and "dc" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	8067	((340/670.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	940	((340/670.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "power" adj "supply" and "controller"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	253	((((340/670.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "power" adj "supply" and "controller") and "dc" same "ac"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	450	((((340/670.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "power" adj "supply" and "controller") and "dc"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	406	((((340/670.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "power" adj "supply" and "controller") and "dc") and "reference"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	2726	((700/22 or 700/21 or 700/75 or 700/82 or 700/121 or 700/286 or 700/297).ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	4135	((307/2 or 307/6 or 307/15 or 307/17 or 307/117 or 307/118 or 307/119 or 307/120 or 307/121 or 307/122 or 307/126 or 307/127 or 307/128 or 307/131 or 307/132 or 307/133 or 307/134 or 307/135 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls) and "power" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
IS&R	2	("5841313").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	507	((307/2 or 307/6 or 307/15 or 307/17 or 307/117 or 307/118 or 307/119 or 307/120 or 307/121 or 307/122 or 307/126 or 307/127 or 307/128 or 307/131 or 307/132 or 307/133 or 307/134 or 307/135 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls) and "power" adj "supply" and "voltage" adj "regulator"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	4839	(702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1520	(702for.103-for.106 or 702for.111 or 702for.135 or 702for.160 or 702for.164-for.167 or 702for.169-for.171).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	5681	((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).ccls.) or ((702for.103-for.106 or 702for.111 or 702for.135 or 702for.160 or 702for.164-for.167 or 702for.169-for.171).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	5119	(327/13 or 327/17 or 327/58-59 or 327/100 or 327/141-142 or 327/161-162 or 327/365 or 327/465 or 327/447 or 327/547).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1125	(700/22 or 700/24-25 or 700/27 or 700/75 or 700/82 or 700/286 or 700/297-298).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	5196	(307/2 or 307/6 or 307/15 or 307/17-23 or 307/26-28 or 307/31-35 or 307/128-131 or 307/139-141).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1921	(323/355 or 323/359 or 323/208 or 323/211 or 323/223 or 323/234 or 323/238 or 323/241).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	126	((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).ccls.) and (power adj output\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	56	((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).ccls.) and (power adj output\$1)) and (power adj supply)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	40	((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).ccls.) and (power adj output\$1)) and (power adj supply)) and monitor\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1	((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).ccls.) and (power adj output\$1)) and (power adj supply)) and monitor\$3) and (primary adj power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	14	((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).ccls.) and (power adj output\$1)) and (power adj supply)) and monitor\$3) and primary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	0	((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).ccls.) and (power adj output\$1)) and (power adj supply)) and monitor\$3) and primary) and secondary) and (soft adj start)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	127	((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).ccls.) or ((702for.103-for.106 or 702for.111 or 702for.135 or 702for.160 or 702for.164-for.167 or 702for.169-for.171).ccls.) and (power adj output\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04

Type	Hits	Search Text	DBs	Time Stamp
BRS	56	(((((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).cccls.) or ((702/for.103-for.106 or 702/for.111 or 702/for.135 or 702/for.160 or 702/for.164-for.167 or 702/for.169-for.171).cccls.)) and (power adj output\$1)) and (power adj supply)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	0	(((((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).cccls.) or ((702/for.103-for.106 or 702/for.111 or 702/for.135 or 702/for.160 or 702/for.164-for.167 or 702/for.169-for.171).cccls.)) and (power adj output\$1)) and (power adj supply)) and (linear adj controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	26	(((((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).cccls.) or ((702/for.103-for.106 or 702/for.111 or 702/for.135 or 702/for.160 or 702/for.164-for.167 or 702/for.169-for.171).cccls.)) and (power adj output\$1)) and (power adj supply)) and delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	9	(((((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).cccls.) or ((702/for.103-for.106 or 702/for.111 or 702/for.135 or 702/for.160 or 702/for.164-for.167 or 702/for.169-for.171).cccls.)) and (power adj output\$1)) and (power adj supply)) and delay) and primary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	8	(((((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).cccls.) or ((702/for.103-for.106 or 702/for.111 or 702/for.135 or 702/for.160 or 702/for.164-for.167 or 702/for.169-for.171).cccls.)) and (power adj output\$1)) and (power adj supply)) and delay) and primary) and sens\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	71	((327/13 or 327/17 or 327/58-59 or 327/100 or 327/141-142 or 327/161-162 or 327/365 or 327/465 or 327/447 or 327/547).cccls.) and (power adj output\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	33	(((((327/13 or 327/17 or 327/58-59 or 327/100 or 327/141-142 or 327/161-162 or 327/365 or 327/465 or 327/447 or 327/547).cccls.) and (power adj output\$1)) and (power adj supply)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	0	(((((327/13 or 327/17 or 327/58-59 or 327/100 or 327/141-142 or 327/161-162 or 327/365 or 327/465 or 327/447 or 327/547).cccls.) and (power adj output\$1)) and (power adj supply)) and (linear same controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	10	(((((327/13 or 327/17 or 327/58-59 or 327/100 or 327/141-142 or 327/161-162 or 327/365 or 327/465 or 327/447 or 327/547).cccls.) and (power adj output\$1)) and (power adj supply)) and controller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	7	(((((327/13 or 327/17 or 327/58-59 or 327/100 or 327/141-142 or 327/161-162 or 327/365 or 327/465 or 327/447 or 327/547).cccls.) and (power adj output\$1)) and (power adj supply)) and controller) and sens\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	4	(((((327/13 or 327/17 or 327/58-59 or 327/100 or 327/141-142 or 327/161-162 or 327/365 or 327/465 or 327/447 or 327/547).cccls.) and (power adj output\$1)) and (power adj supply)) and controller) and sens\$3) and delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	427	((700/22 or 700/24-25 or 700/27 or 700/75 or 700/82 or 700/286 or 700/297-298).cccls.) and (power adj supply)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	75	((700/22 or 700/24-25 or 700/27 or 700/75 or 700/82 or 700/286 or 700/297-298).cccls.) and (power adj supply)) and (power adj output\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	53	((700/22 or 700/24-25 or 700/27 or 700/75 or 700/82 or 700/286 or 700/297-298).cccls.) and (power adj supply)) and (power adj output\$1) and controller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	42	(((((700/22 or 700/24-25 or 700/27 or 700/75 or 700/82 or 700/286 or 700/297-298).cccls.) and (power adj supply)) and (power adj output\$1) and controller) and monitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	33	(((((700/22 or 700/24-25 or 700/27 or 700/75 or 700/82 or 700/286 or 700/297-298).cccls.) and (power adj supply)) and (power adj output\$1) and controller) and monitor) and primary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	0	(((((700/22 or 700/24-25 or 700/27 or 700/75 or 700/82 or 700/286 or 700/297-298).cccls.) and (power adj supply)) and (power adj output\$1) and controller) and monitor) and primary) and threshold) and ATX	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1514	((307/2 or 307/6 or 307/15 or 307/17-23 or 307/26-28 or 307/31-35 or 307/128-131 or 307/139-141).cccls.) and (power adj supply)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	221	((307/2 or 307/6 or 307/15 or 307/17-23 or 307/26-28 or 307/31-35 or 307/128-131 or 307/139-141).cccls.) and (power adj supply)) and (power adj output\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	130	((307/2 or 307/6 or 307/15 or 307/17-23 or 307/26-28 or 307/31-35 or 307/128-131 or 307/139-141).cccls.) and (power adj supply)) and (power adj output\$1) and sens\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04

Type	Hits	Search Text	DBs	Time Stamp
BRS	42	((700/22 or 700/21 or 700/75 or 700/82 or 700/121 or 700/286 or 700/297).ccls) and "output" adj "voltages"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	7	((307/2 or 307/6 or 307/15 or 307/8 or 307/17 or 307/18 or 307/19 or 307/20 or 307/21 or 307/22 or 307/26 or 307/27 or 307/28 or 307/31 or 307/32 or 307/33 or 307/34 or 307/35 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls) and "ic" and "multiple" adj "voltage"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	68	(((((307/2 or 307/6 or 307/15 or 307/8 or 307/17 or 307/18 or 307/19 or 307/20 or 307/21 or 307/22 or 307/26 or 307/27 or 307/28 or 307/31 or 307/32 or 307/33 or 307/34 or 307/35 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls) and "power" adj "supply" and "voltage" and "primary" and "output" and "input" and "threshold" and "delay" and "compare"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	14	(((((("motherboard" and "power" adj "supply" and "switching" and "controller" and "regulator" and "reference" and "under" adj "voltage"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	241	(((((("motherboard" and "power" adj "supply" and "switching" and "controller" and "regulator" and "reference"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	13	((national.as. and "motherboard") and "power" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	8	((fairchild.as. and "motherboard"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	319	((texas Instruments.as.) and "power" adj "supply" and "motherboard"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	164	((texas Instruments.as.) and @pd<=19999423) and "motherboard" and "power" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	35	((texas Instruments.as.) and @pd<=19999423) and "motherboard" and "voltage" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	6	((((324/425).CCLS.) and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	31	((((324/425 or 324/433 or 324/607 or 324/76.11).ccls.) and "ic" and "power" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	66	(((((analog devices.as.) and @pd<=19990401) and "ic" and "power" adj "supply" and "voltage" and "primary" adj "power"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	87	((((((("dac" and "output" and "voltages" and @pd<=19980401) and "power" adj "supply" and "reference" and "threshold" and "input" and "output" and "voltage" and "ic"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	335	((((((("dac" and "output" and "voltages" and @pd<=19980401) and "power" adj "supply" and "reference" and "threshold" and "input" and "output" and "voltage"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	7	((702/60).CCLS.) and "dc" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	20	((702/57 or 702/60 or 702/62 or 702/64 or 702/65).ccls) and "dc" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	2	((702/122 or 702/124 or 702/126 or 702/182 or 702/183 or 702/188 or 702/189).ccls) and "ic" and "dc" adj "power"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	53	((702/122 or 702/124 or 702/126 or 702/182 or 702/183 or 702/188 or 702/189).ccls) and "ic" and "dc"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	253	((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "power" adj "supply" and "controller" and "ac" same "dc"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	20	(((((340/870.39 or 340/455 or 340/146.2 or 340/636 or 340/660 or 340/661 or 340/662 or 340/663 or 340/693.1 or 340/7.32 or 340/10.34 or 340/310.01).ccls) and "power" adj "supply" and "controller" and "dc" and "reference" and "delay" adj "time"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1	((700/22 or 700/21 or 700/75 or 700/82 or 700/121 or 700/286 or 700/297).ccls) and "dc" adj "controller"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	52	((700/22 or 700/21 or 700/75 or 700/82 or 700/121 or 700/286 or 700/297).ccls) and "power" adj "controller"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	12	((700/22 or 700/21 or 700/75 or 700/82 or 700/121 or 700/286 or 700/297).ccls) and "voltage" adj "controller"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	10	(((((307/2 or 307/6 or 307/15 or 307/8 or 307/17 or 307/18 or 307/19 or 307/20 or 307/21 or 307/22 or 307/26 or 307/27 or 307/28 or 307/31 or 307/32 or 307/33 or 307/34 or 307/35 or 307/125 or 307/126 or 307/127 or 307/128 or 307/129 or 307/130 or 307/139 or 307/140 or 307/141).ccls) and "power" adj "supply" and "voltage" adj "regulator" and "multiple" adj "output"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	8	((((((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).ccls.) and (power adj output\$1)) and (power adj supply)) and monitor\$3) and primary) and secondary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	5	((((((702/57 or 702/60 or 702/64-66 or 702/69 or 702/71 or 702/78-81 or 702/89-90 or 702/104 or 702/107 or 702/117 or 702/119-120 or 702/124 or 702/176 or 702/189 or 702/193 or 702/198-199).ccls.) or ((702for.103-for.106 or 702for.111 or 702for.135 or 702for.160 or 702for.164-for.167 or 702for.169-for.171).ccls.)) and (power adj output\$1)) and (power adj supply)) and delay) and primary) and sens\$3) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	4	((((((327/13 or 327/17 or 327/58-59 or 327/100 or 327/141-142 or 327/161-162 or 327/365 or 327/465 or 327/447 or 327/547).ccls.) and (power adj output\$1)) and (power adj supply)) and controller) and sens\$3) and delay) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	18	((((((700/22 or 700/24-25 or 700/27 or 700/75 or 700/82 or 700/286 or 700/297-298).ccls.) and (power adj supply)) and (power adj output\$1)) and controller) and monitor) and primary) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	29	((((((307/2 or 307/6 or 307/15 or 307/17-23 or 307/26-28 or 307/31-35 or 307/128-131 or 307/139-141).ccls.) and (power adj supply)) and (power adj output\$1)) and sens\$3) and threshold) and reference) and controller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	12	((((((323/355 or 323/359 or 323/208 or 323/211 or 323/223 or 323/234 or 323/238 or 323/241).ccls.) and (power adj supply)) and (power adj output\$1)) and threshold) and delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	13	((ATX and (power adj supply)) and (power adj output\$1)) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	8	(((((primary adj (power adj supply)) and (secondary adj (power adj supply)) and computer) and controller) and threshold) and signal\$1) and resistor\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1	((((((primary adj (power adj supply)) and (secondary adj (power adj supply)) and computer) and controller) and threshold) and signal\$1) and resistor\$1) and "12 volt" and "5 volt"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	19	(((((primary adj (power adj supply)) and (secondary adj (power adj supply)) and computer) and controller) and threshold) and signal\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	5	((intersil.as. and "motherboard"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	4	((ti.as. and "mother"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	56	((ti.as. and "power" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	66	((texas Instruments.as.) and "ic" and "multiple" adj "power"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	142	((intersil.as. and @pd<=19990401	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	33	((intersil.as. and @pd<=19990401) and "power" adj "supply"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	91	((texas Instruments.as.) and @pd<=19999423) and "power" adj "supply" and "primary" adj "power"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	210	((texas Instruments.as.) and @pd<=19999423) and "power" adj "supply" and "pwm" and "control"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	401	((("motherboard" and "power" adj "supply" and @pd<=19980401) and "voltage"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	117	((("motherboard" and "power" adj "supply" and "pwm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
IS&R	2	((5734919).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	706	((((((("dc" and "power" adj "supply" and "ic" and "reference" and "volt" and "input" and "control" and "compare"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	437	((((((("dc" and "power" adj "supply" and "ic" and "reference" and "volt" and "input" and "control" and "compare" and "computer"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04
BRS	1	((("5841313").PN.) and "controller"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	4/14/04